

CONTRACTOR PUMPS & GENERATORS

ENGINE POWERED: CENTRIFUGAL DEWATERING PUMP TE2-HA/RX/RDB SERIES

Powerful, Lightweight Pumps

Powered by either heavy-duty Honda GX series gas engines or the powerful Robin Subaru EX series engines.

TE2-HA Gas Engine Centrifugal Pumps Powered by Honda


- · Heavy-duty Honda gas engine with oil sensor and Silicon Carbide mechanical seal provides the longest life in this class.
- Cast Iron impeller and volute casing.
- Durable Rolled-Steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation.
- Both 2" and 3" models are light enough for UPS shipment.



Honda TE2-80HA

TE2-RX Gas Engine Centrifugal Pumps Powered by Robin Subaru

- Two inch economical high performance centrifugal engine pump.
- Extremely silent. EX Robin Engine is two dBA quieter than competitive models.
- Easy and reliable starting. 30-40% less pulling force than competitive models.
- · Low emission level and high capacity Air Cleaner.
- Heavy Duty Chain Drive OHC System.





Model	Suction Size (in.)	Engine	Max. Output (hp/rpm)	Shipping Dimensions (L x W x H in.)	Shipping Weight (lb.)
TE2-50HA	2 NPT male	HONDA GX-120	4.0 / 3600	18 1/2 x 14 5/8 x 17 1/8	55
TE2-80HA	3 NPT male	HONDA GX-160	5.5 / 3600	20 1/2 x 16 1/2 x 18 7/8	64
TE2-100HA	4 NPT male	HONDA GX-240	8.0 / 3600	25 x 18 x 23 1/2	109
TE2-50RX	2 NPT male	Robin Subaru EX13	4.5 / 4000	18 1/2 x 14 5/8 x 17 1/8	55
TE2-80RX	3 NPT male	Robin Subaru EX17	6.0 / 4000	20 1/2 x 16 1/2 x 18 7/8	64


Compact and Lightweight

TSURUMI PUMP Model TE2-25HA is ideal for general dewatering, irrigation and all-purpose cleaning and wash down applications. Easy starting and quiet running is assured with its four stroke Honda GX25 engine. Built to be lightweight yet durable.

TE2-25HA Centrifugal Pumps Powered by Honda

- Heavy-duty Honda gas engine with oil sensor and Silicon
 Carbide mechanical seal provides the longest life in it's class.
- · Cast Iron impeller and volute casing.
- Durable Rolled-Steel handle for ease of handling.





Model	Suction Size (in.)	Engine	Max. Output (hp/rpm)	Shipping Dimensions (L x W x H in.)	Shipping Weight (lb.)
TE2-25HA	1" Dewatering	HONDA GX-25	1.1 / 2220	9 x 14 x 13	12


Lightweight dependable dewatering pumps powered by Robin Hatz diesel Engine.

TE2-RDB Centrifugal Pumps Powered by Robin Hatz

- · Heavy-duty Robin Hatz Diesel Engine
- Low emission level for cleaner environment
- Silicon carbide mechanical seals
- · Cast iron volute casting
- Durable rolled-steel frame







Model	Suction Size (in.)	Engine	Max. Output (hp/rpm)	Shipping Dimensions (L x W x H in.)	Shipping Weight (lb.)
TE2-50RDB	2 NPT male	Robin Hatz 1B20	4.9 / 10320	24 13/16 x 17 15/16 x 22 1/4	95.1
TE2-80RDB	3 NPT male	Robin Hatz 1B30	4.9 / 12720	24 13/16 x 17 15/16 x 22 1/4	97.3

The Pump Technology That The World Trusts.



Tsurumi introduced its international strategy in the 1960s. Our technical capabilities gained recognition first in Asia in the 1970s and then in the United States and Europe in the 1980s.

Following the initial steps, our international division successfully penetrated many worldwide markets including: construction, civil engineering, mining, industrial, wastewater, sewage treatment, and flood control.

Today Tsurumi has expanded its base of operations and is active in 45 countries and regions. In addition to supporting a variety of work sites, our high-performance pump products are widely used in large-scale national projects where they surpass expectations. Reliable performance is our first priority.





TSURUMI (AMERICA), INC.

1625 Fullerton Court Glendale Heights, IL 60139 Tel: 1-888-878-7864 (Toll-Free) 1-630-793-0127

Fax: 1-630-793-0146



TSURUMI (AMERICA), INC. WEST

6216 West 9790 South West Jordan, UT 84081

Tel: 1-800-748-4458 (Toll-Free) 1-801-563-5910

Fax: 1-801-563-5911

For Sales, Service, and Specifications, call:

1-888-TSURUMI (878-7864) 1-800-748-4458 (Utah Office)

Your Dealer

OCT10-RENTAL-WEB/D